
# arc

# CAVITY STOP SOCK

#### Cavity fire barrier for masonry construction

- » Up to 4 hours fire integrity
- » Horizontal and vertical options
- » Specified in terraced, semi-detached, apartments and major projects
- » Meets requirements of Robust Detail Part E and Approved Document B
- » Maximum cavity width available: 300mm
- Easily installed with compression fit; no mechanical fix is required
- » Third-party certificated by IFC







#### V3.6 02.11.2022

## CAVITY STOP SOCK



#### Application

ARC Cavity Stop Sock restricts the spread of smoke and flames within the cavity of external masonry walls. It is ideally suited for providing a cavity barrier within the external wall cavity, in line with a separating wall or floor as specified in Approved Document B, and for closing the cavity at eaves level.

#### Installation

ARC Cavity Stop Sock is designed to be simply compression fitted as the brick and block work progresses. No mechanical fixing is required, with the compression fit holding the barrier in place.


The barrier must fully fill the cavity from external brick to internal block. Any cavity insulation must be cut back at the location of the barrier, and care must be taken to ensure that the built cavity width is accurate and that the size of barrier fitted is appropriate to this.

- > Vertical application: we recommend building up the internal block work first. Then progress several courses of brickwork, before installing the barrier. The brickwork can continue, building the barrier in. Care must be taken to ensure the correct compression fit is achieved.
- > Horizontal application: build the brickwork up to the level the barrier will be installed, ensuring the width of the cavity is correct. Allow the brickwork to set, before push fitting the barrier in to place and under the correct compression.
- At the end of a run, or at a corner, lengths of barrier should be cut to the required length, and then tightly butt jointed ensuring no gaps remain.
- The polythene encapsulation does not contribute to the performance of the barrier, but offers weather protection and product identification. We recommend that it is left in place for these purposes, however if it becomes torn or damaged there is no cause for concern.
- You should not attempt to squash the barrier before installation. Although this can make the barrier easier to fit, it is likely to cause gaps and may damage the barrier, resulting in reduced performance.


#### What does good look like?



The cavity width is accurate and the cavity insulation has been cut back where the barrier will be located



All corners and joints are tightly butt jointed. Barriers are not bent around corners.



Excess polythene is removed from joints







Green horizontal barrier shown; the above points can be applied to all installations reeardless of size or orientation.



Scan or click the QR code to watch the installation video




#### **Party Wall Junction**

ARC's Party Wall Cavity Stop Sock is designed for use at the party wall junction; fitted in the external wall cavity, with a minimum 50mm overlap either side of the party wall cavity. At 250mm wide, ARC's PWCSS range is suitable for use with party wall cavities up to 150mm wide.

These wider barriers do not require a compression fit, and are supplied with a 5mm compression to allow for site anomolies.





#### V3.6 02.11.2022 CAVITY STOP SOCK



#### **Product & Packaging Specification**

Product Code CSS50 CSS50 CSS80 CSS90 CSS90 CSS100 CSS100 CSS110 CSS115 CSS120 CSS125 CSS123
CSS75 CSS80 CSS90 CSS95 CSS100 CSS105 CSS110 CSS115 CSS120 CSS125
CSS80 CSS85 CSS90 CSS100 CSS105 CSS110 CSS115 CSS120 CSS125
CSS85 CSS90 CSS95 CSS100 CSS105 CSS110 CSS115 CSS120 CSS125
CSS90 CSS95 CSS100 CSS105 CSS110 CSS115 CSS120 CSS125
CS595 CS5100 CS5105 CS5110 CS5115 CS5120 CS5125
CS5100 CS5105 CS5110 CS5115 CS5120 CS5125
CSS105 CSS110 CSS115 CSS120 CSS125
CSS110 CSS115 CSS120 CSS125
CSS115 CSS120 CSS125
CSS120 CSS125
CSS125
CSS130
CSS135
CSS140
CSS145
CSS150
CSS155
CSS160
CSS165
CSS170
CSS175
CSS180
CSS185
CSS190
CSS195
CS5200
CSS225
CSS250
CSS275
CSS300
PWCSS50
PWCSS75
PWCSS100
PWCSS125
PWCSS150
PWCSS175
PWCSS200
PWCSS225
PWCSS250
PWCSS275
CSS190 CSS200 CSS225 CSS250 CSS275 CSS300 PWCS575 PWCS5100 PWCS5125 PWCS5125 PWCS5150 PWCS5175 PWCS5175 PWCS5200

Can't find your size? ARC Cavity Stop Sock can be manufactured to suit any cavity width up to 300mm, including any intermediary sizes not listed above. **Call our technical experts on 0113 252 9428 to discuss your requirements.** 

3

## CAVITY **STOP SOCK**



#### **Key Stats**

Length supplied	1.2m
Third-party certification	Cavity Stop Sock: IFC certificate number: IFCC 1727 Party Wall Cavity Stop Sock:
	IFC certificate number: IFCC 1728
Insulation	Non-combustible rockfibre mineral wool
Thermal conductivity	0.037W/mK
Fire rating	Up to 4 hours

#### **Fire Properties**

ARC Cavity Stop Sock has been fire tested in accordance with the principles given in EN1366-4, achieving up to four hours fire integrity within a masonry construction.

ARC Cavity Stop Sock is certificated by IFC Certification, a third-party accreditation scheme. IFC's product certifications are designed to give confidence to architects, specifiers, contractors, users, occupiers and owners that products have been thoroughly and independently evaluated and will continue to be manufactured to the same specification as originally tested.

Cavity Stop Sock - IFC certificate number: IFCC 1727 Party Wall Cavity Stop Sock - IFC certificate number: IFCC 1728

#### Non-Standard Applications

Where usage falls outside of the certificated scope, for example when used with external cladding, or with an internal metal frame system, performance of the fire barrier will depend heavily upon the structural integrity and fire performance of the surrounding construction.

Specifiers must ensure all construction elements that make up part of the internal or external leaf of the wall, including support systems, are suitable for use with a cavity fire barrier for the length of fire integrity and insulation required. Particular attention must be paid to any possible deflection or distortion which could cause gaps to form between the construction and any fire barrier installed.

In the event of a fire, ARC Building Solutions Ltd cannot accept liability for failure where usage is outside of the standard application, including but not limited to, where deflection or distortion has allowed gaps to form around the barrier, or where the barrier is not fitted in accordance with the manufacturer's guidelines.

Insulation performance	Minimum 15 mins
Test standard	EN1366-4
Construction type	Masonry
Orientation	Vertical or horizontal
Robust Detail compliance	E-WM 1-21

#### **Standards**

ARC Cavity Stop Sock is manufactured using rockfibre mineral wool which achieves a fire classification of Euroclass A1 as defined in BS EN 13501-1, and conforms to BS EN 13162 and EN16001 Energy Management Systems.

ARC's rockfibre mineral wool insulation has a thermal conductivity of 0.037W/mK.

#### Storage and Packaging

ARC Cavity Stop Sock is supplied in polythene packs which are designed for transporting and protecting the products. It is not recommended that the packs are stored in direct sunlight. When storing the barriers for longer periods of time it is recommended that the product should be stored indoors, or under cover.

#### Environment

No CFCs or HCFCs are involved in the manufacturing process of ARC's rockfibre mineral wool insulation. The material presents no known threat to the environment and is classed as ODP and GWP zero.

ARC Cavity Stop Sock has a Green Guide rating of A+.

#### Health and Safety

ARC Building Solutions has an approved Health and Safety Policy and is committed to working and supplying products safely. ARC's rockfibre mineral wool is not classed as a possible human carcinogen. We have assessed products as required by Substances Hazardous to Health Regulations (COSHH). An ARC COSHH data sheet is available and can be downloaded from ARC's website.

0026

Certificate Number 19310 ISO 9001, ISO 14001

Any information provided within this document is intended for guidance only. Expert technical advice should be sought before specification or installation of any product. It is of particular importance to ensure that any fire barrier or fire stopping product is tested for use with the exact application intended. ARC Building Solutions Ltd cannot accept liability for failure where usage is outside of the standard application, including but not limited to, where deflection or distortion has allowed gaps to form around the barrier, or where the barrier is not fitted in accordance with the manufacturer's guidelines.

© 2022 ARC Building Solutions Ltd. ARC and T-Barrier are registered trademarks of ARC Building Solutions Ltd



#### 0113 252 9428