

Declaration of Performance

DOP Number: L/VC4000FR/002



1. Unique identification code of the product-type:

Novia VC4000FR - Batch code available on product

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification:

The material is used as a vapour barrier according to EN 13984 Flexible Sheets for Waterproofing – Plastic and Rubber Vapour Control Layers

3. Name and contact address of the manufacturer:

Novia Ltd Unit 3 Trilogy Eurolink V Industrial Park Sittingbourne, Kent ME10 3NH

4. System of assessment and verification of constancy of performance of the construction product: System 3

5. Approved body:

0338

6. Declared Performance:

Essential Characteristics	Specified Value	Unit	Test standard
Tensile strength MD/CD	>350 / >350	N/50mm	EN 12311-1
Maximum elongation at tensile strength MD/CD	>15 / >15	%	EN 12311-1
Nail tear resistance MD/CD	>350 / > 350	N	EN 12310-1
Water vapour transmission properties sd	4000 (-2500/+4000)	m	EN 1931
Durability against artificial ageing	PASS		EN 1296 and EN 1931
Reaction to fire	B-s1, d0*	Class	EN 13501-1
Water tightness at 2kPa	PASS		EN 1928

^{*}Valid for substrates with fire class A2-s1, d0 or A1 such as 12mm plasterboard, with no cavity between product and substrate. Product tested to EN 13501-1.

7. The performance of the product according to point no.1 corresponds to the declared performances under section 6, and conforms to the harmonised standard according to point no. 2

ACUL	14.02.24
Adrian Chisholm, Managing Director	Date

Novia Ltd, Sittingbourne, Kent, UK